

03/23/00  
JC780 U.S. PTO

3-24-00

A

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of Michael J. Coar

Serial No.: Not yet assigned

Group Art Unit:

Filed: Herewith

Examiner:

JC682 U.S. PTO  
09/533152  
03/23/00

For: **System and Method for the Creation of Virtual Information Packages**

Assistant Commissioner for Patents  
Box PATENT APPLICATION  
Washington, D.C. 20231

Dear Sir:

Enclosed please find the following:

1. Specification, abstract and claims (2 independent, 10 dependent, 12 total) (46 pages);
2. Informal drawings (8 figures, 8 sheets);
3. One check in the amount of \$345.00; and,
4. Certificate of Express mailing.

The Commissioner is hereby authorized to charge any fee deficiency, or credit any overpayment, to Deposit Account No. 18-1579. The Commissioner is also authorized to charge Deposit Account No. 18-1579 for any future fees connected in any way to this application. Two copies of this letter are enclosed.

Respectfully submitted,



Jon L. Roberts, Esq.  
Registration No. 31,293  
Roberts Abokhair & Mardula, LLC  
11800 Sunrise Valley Drive, Suite 1000  
Reston, VA 20191-5302  
(703) 391-2900

March 23, 2000


Atty. Docket No. 2610-001

CERTIFICATE OF EXPRESS MAILING

Express Mail Mailing Label Number EL528296216US

Date of Deposit: March 23, 2000

I hereby certify that the patent application of Michael J. Coar for a **System and Method for the Creation of Virtual Information Packages** including the specification, abstract, and claims (2 independent, 10 dependent, 12 total) (46 pages); informal drawings (8 figures, 8 sheets); and a check in the amount of \$345.00, are being deposited with the United States Postal Service for "Express Mail" service under 37 C.F.R. § 1.10 on the date indicated above and are addressed to the Assistant Commissioner for Patents, Box Patent Application, Washington, D.C. 20231.



Jon L. Roberts, Esq.  
Registration No. 31,293  
Roberts Abokhair & Mardula, LLC  
11800 Sunrise Valley Drive, Suite 1000  
Reston, VA 20191-5302  
(703) 391-2900

**Title:** System and Method for the Creation of Virtual Information Packages

**Inventor:** Michael J. Coar

**Field of the Invention**

The present invention generally relates to the processing and interchange of information, data and documents in both paper based and electronic format. The present invention also relates to converting paper documents into an electronic form, while retaining index data information. More particularly the present invention is a system, which applies a standard approach for packaging a paper form and its data content, thereby providing a means by which the information may be transmitted in both a human and machine-readable format. Further, the present invention is an information collection and delivery vehicle that may contain an unlimited number of disparate objects in electronic form, which may be electronically delivered via disk, CD-ROM, Internet or other electronic delivery methods and present them in a fashion that facilitates automation and user interaction. In addition, the present invention is an electronic delivery and storage/archive system based on the information and delivery collection vehicle.

**Background of the Invention**

Today, more and more emphasis is being placed on the dissemination of information in electronic form. Virtually all business related paper documents today are generated from a computer application and sent to a printer or a fax delivery vehicle. While present day technology has resulted in a vast amount of data and information being disseminated by electronic networks, such as computer networks, the Internet, and the like, the full information content of such communications does not provide the flexibility

1 and utility still associated with hard paper copies of the same information. Some still  
2 prefer receiving printed information in hard copy form, which can be read, studied, and  
3 readily saved for future reference.

4 Unfortunately, the dissemination of printed material is cumbersome and slow as  
5 compared to the electronic transfer of information and data. Further, once information is  
6 in printed form, it is difficult to return the information and data content back to an  
7 electronic form. Therefore, a receiving party will need to either manually read and  
8 extract the relevant data content to be entered into another downstream computer system,  
9 or the documents may be machine scanned and imaged for either manual or automated  
10 conversion (through the use for example of OCR type technology) to electronic data,  
11 which then can be readily transferred. However, both manual and automated conversion  
12 and transfer are time consuming, susceptible to error, and often result in loss of portions  
13 of the original data content. In addition, OCR type forms extract of data from images is  
14 expensive and requires specific controls on the source documents to be successful. Where  
15 unconstrained forms are prevalent, OCR forms processing will still require a tremendous  
16 amount of manual intervention.

17 In environments where electronic files are used, there are still difficulties  
18 encountered by businesses trying to implement such files to transact business. As in many  
19 cases, a collection of different types of electronic files will comprise the transaction. One  
20 of the deficiencies of the presently known systems is that there is a lack of a single  
21 “container” that can hold various objects to better allow companies to interact or act as a  
22 general purpose electronic information delivery vehicle. Therefore, what is needed is a  
23 process to allow a disparate collection of different objects, be it electronic, or paper

1 converted into electronic format be provided to a business or even and end user in a  
2 fashion the promotes ease of use an automation.

3 Accordingly, there is a need in industry for a means to permit paper documents to  
4 be converted into electronic format while also retaining the relevant index data  
5 information. Further, this electronic format must act as a standardized “container” for  
6 delivering information, such as documents, data and images via email, the Internet, on  
7 disk, or on CD, or in any other electronic form. The standardized container must also be  
8 able to reproduce a copy of the original document that was converted. This standardized  
9 container must be able to easily adapt to a changing business environment where the  
10 source of the initial content may predominantly be paper documents to where as the  
11 industry shifts to more electronic content will still provide similar benefits. The container  
12 must also provide information about its contents known as “meta-data.” This meta-data  
13 must be provided in a specific and consistent manner that facilitates the development of  
14 browser applications as well as automation. Therefore, the container must support any  
15 spectrum of content and present it to a user or system in a consistent fashion to promotes  
16 its use and automation. Further a system using this container would need to include  
17 delivery methods for supplying both customers and business partners with instant  
18 information that is needed. In other words, a delivery object that supports both ad hoc  
19 support requests for information as well as large volume transactions is needed.

20 **Examples of known document or information delivery vehicles:**

21 **Adobe Acrobat:**

22 One example of a presently available document delivery system is  
23 Adobe’s Acrobat. Acrobat has its origin in the desktop publishing world as

Adobe's electronic alternative to the printed page. Earlier, Adobe created one of the standard formats for preparing documents for printing (Postscript) and Acrobat was a natural extension of that concept. The Acrobat system allows a document to be converted in a standard format (a PDF file) that can be viewed on nearly any computer running the Acrobat Reader, without worries of having a particular display type installed or having special fonts installed. The key point to focus on is that the original document is converted. Therefore, the document is no longer in its original format. Therefore, Acrobat only provides a means to manipulate a rendering that replaces a printed piece of paper. Recent versions of Acrobat now provide some features like annotation to allow readers to "mark up" an Acrobat document. But beyond this, Acrobat files generally are static documents. One cannot edit or modify the document using the original source application that created the document and then return such to the Acrobat package. The Acrobat tools offer very limited capabilities to make additions or changes to an existing Acrobat file. In addition, the Acrobat format focuses on the document, but not on the data content presented in the document. It is difficult, if not impossible, for an automated system to extract useful information from such a document for use in another application.

Acrobat in essence emulates a printer. The user would operate in their native application, and instead of printing a hard copy paper output; they would select the Acrobat device. The system would then convert the document into an Adobe proprietary format. While this allows the document to be viewed and printed on any computer running the proprietary Adobe software, such as Acrobat

Reader, it limits its use to viewing and printing. In other words, one cannot reopen the document in its native application. Most important, you cannot gain direct access to the data content of the source document. For example, if you have an Acrobat file generated from an Excel spreadsheet, all you have available to you is an electronic copy of what can be compared to a printed piece of paper. You cannot edit the spreadsheet formulas; recalculate the spreadsheet in any way. Most business documents contain a considerable amount of fundamental data. The reader of the document is interested in an easy way to extract that data. Acrobat will allow the reader to look at an electronic representation of the paper, but it does not facilitate the automation to extract that data. While Acrobat may allow different documents to be joined within a single Acrobat file, the access to the source file or application that created the document is lost. This Acrobat system is used as a document delivery vehicle and not a data delivery vehicle. It also does not support easily obtainable meta-data about the contents of an Acrobat file. In addition; it does not support both data and document content.

#### **Electronic Data Interchange (EDI):**

Another existing standard for delivering information between businesses is EDI. This is an accepted standard method of delivering a common type of transaction such as invoice information between businesses. The largest shortcoming of EDI is that it is limited to only data. Documents, images, or other object types are not supported. Further a collection of different object types may not be created within a single EDI transaction. Therefore, its use is very limited and it cannot support

environments where complex business transactions, or end-user requests are required.

### **ZIP Files:**

An example of a packaging technique is a ZIP file. While this type of file may contain many different object types, including an EDI, Word, Acrobat, image, or any other type of file, it lacks a means to support automation. It may also be delivered using virtually any electronic delivery method. While new ZIP viewers will permit a file to be individually selected and permit it to launch the native application that created it, the basic nature of a zip file does not include a standard method or set of rules by which these objects are inserted into the ZIP file. Again, meta-data about the contents of a ZIP file is not easily obtainable, and therefore, prohibits automation. Therefore, while a ZIP file may be used as a container that may be delivered between business partners, they require specific rules to be first created by the business partners in order to permit automation. In almost all cases, true automation is not possible due to this lack of standards.

### **Email:**

While email allows for multiple attachments, permits the recipient to open the file using the native application that created it, email suffers from several shortcomings. First, like ZIP, there are no specific rules in place as to how the attachments are added. Therefore, automation is not possible unless very specific rules are developed between specific business partners. Next, meta-data about the contents are not easily obtainable in a consistent fashion. Further prohibiting automation. Next, the sequence in which attachments are added and processed



will affect their ability to be automated. In addition, the attachments are provided as individual files, and therefore, if the email must be processed by an outside system, there lacks an efficient method to keep the attachments together for further downstream processing.

#### **HTML:**

While standard browsers are available for viewing HTML, their lacks a means to have a collection of objects are contained within a single file. As a result, individual files must be separately provided on disk in a specific sequence to work. Further, automation is not easily facilitated due to the flexibility of HTML.

The example of HTML's flexibility is the fact that all Internet Web sites use HTML as a basis for the design of their Web site. However, all Web sites look different. Therefore, business partners must again mutually agree on the HTML content and the relevant file location in order to automate transactions using HTML. Again, meta-data about the content is not easily extracted in a consistent format, further prohibiting automation.

#### **XML:**

XML represents the closest application of a universal delivery format. It may contain multiple objects of different types, has rules to define content and data elements, can contain Meta-data and can be used to facilitate automation.

However, there lacks a standard browser to interact with an XML file, nor is there a standard packaging method to deliver a complete XML package. Therefore, while XML holds promise, and our tools and technologies use XML extensively, it lacks a delivery vehicle that may be employed in wide spread use.

As illustrated above, while there are many pieces of the required technology, there currently is a lack of a combination of these technologies to provide a delivery vehicle submitted. Accordingly, a system is needed to meet the requirements of a different set of business tasks: those of document imaging, conversion of paper documents to electronic format while retaining data content, work flow, sharing complex files, and EDI. To meet these requirements, such a system must be designed with a different focus and with different features than any system presently available. The needed system must expand the capabilities of presently available systems for the electronic delivery of documents and related information.

Additionally, the new system should allow documents to be kept in their native format. For example, one should be able to take an Excel document out of the delivery system, open it in Excel, make changes, and put the changed document back into the delivery system. The system could also provide for the direct viewing and display of many standard formats to further simplify user interaction. Additionally, there is a need for a document delivery system that can support dynamic, changing documents, and include end-user tools to allow for easy additions and changes.

### Summary of the Invention

It is therefore an objective of the present invention to minimize the manual labor-intensive data capture from paper documents.

It is yet another objective of the present invention to use a standard encoding approach that enhances existing computer generated paper documents by including a machine readable symbol at the time in which they are printed, thereby permitting the

1 data content of the paper to be easily extracted in both human readable and machine  
2 readable form.

3 It is further another objective of the present invention, to use a standard encoding  
4 approach to provide an intermediate enhancement for computer generated paper  
5 documents, or any other paper document, that cannot have a machine readable  
6 symbol included at the time of printing, whereby either the data source used to  
7 generate the computer generated paper document, or any other data source for either  
8 computer generated or other documents, containing similar relevant data may be used  
9 to separately create a machine readable symbol that may then be affixed to the paper  
10 document, or a separator sheet which may precede the paper document.

11 It is still another objective of the present invention to use a standard encoding  
12 approach to provide an intermediate enhancement for computer generated or  
13 preprinted forms that do NOT contain index data, to provide placeholders for index  
14 data that may be added at a later date. In such a case, a machine-readable symbol  
15 would describe the location and any other relevant information such as field types,  
16 lengths, etc. to a system such as an OCR forms processing system. Thereby  
17 improving the results of such an OCR forms processing system and eliminating the  
18 need to previously train such an OCR forms processing system with a form prior to it  
19 being able to process it.

20 It is therefore another objective of the present invention, to include in the  
21 machine-readable symbol, additional information that may not or is desirable not to  
22 include on the paper document in human readable form. This may include, without  
23 limitation and by way of example only, processing information, document generation

1 specific information such as the source application, version number, etc. In addition,  
2 workflow related information and non-printable information such as that represented  
3 in a logo might be included in the symbol.

4 It is yet another objective of the present invention to include within the machine-  
5 readable symbol, information that may be specific to group a set of related documents  
6 together. For example, the individual pages of a multi-page document, and related  
7 form sets, such as and not limited to mortgage, health care and legal documents. For  
8 example in the case of a mortgage document, a note, deed of trust, title policy  
9 amongst others may be related through common information shared in the machine  
10 readable symbol that is associated with each document within the set of documents.

11 It is another objective of the present invention to use machine-readable symbols  
12 generally to give use to the functions described herein irrespective of the actual type  
13 of code used (i.e. one-dimensional or two dimensional).

14 It is a further objective of the present invention to in many cases eliminate the  
15 need for optical character recognition to determine information about documents, and  
16 to use a machine readable symbol that may be generated at the time when a symbol is  
17 applied or associated post print.

18 Further, it is an objective of the present invention to provide additional  
19 information in the graphical code to, in the event that OCR forms type processing is  
20 used, assist the OCR forms processing and simplify data extraction.

21 It is yet another objective of the present invention to provide a standard encoding  
22 and conversion method to provide a means for converting a paper based document  
23 into an electronic form (through the use of for example a scanner) while also

1 extracting the index data from the machine-readable symbol. The resulting electronic  
2 package file would then contain an image of the paper document and the index data in  
3 a form that permits easy extraction and transfer to another system.

4 A further objective of the present invention is to permit scanned documents,  
5 regardless of the availability of relevant index data to be added to the standard  
6 electronic package.

7 Another objective of the present invention is to provide an electronic file  
8 packaging method that permits virtually any electronic file to be contained within the  
9 packaging method.

10 Yet another objective of the present invention is to provide meta-data  
11 (information about the information contained within the package) about each element  
12 within the electronic package file.

13 Another objective of the present invention is to permit additional amounts of  
14 relevant index information may be contained within the electronic "container."

15 Yet another objective of the present invention is to permit the automated  
16 processing of the contents of the package using computer and other applications that  
17 have been designed to interact with the packaging.

18 Another objective of the present invention is that the contents of the package will  
19 be stored unchanged from their original format (other than to use compression  
20 methods to minimize the overall size of the package), in order to allow the original  
21 native application that created the object to again be used to interact and manipulate  
22 the object.

1 Another objective of the present invention is to secure the contents using  
2 encryption and decryption methods that allow the package to be transmitted  
3 electronically, or on computer media, thereby prohibiting the unauthorized viewing of  
4 the content, without a properly authorized decryption key.

5 Another objective of the present invention is to provide general information about  
6 the package in an unsecured portion of the package to permit basic processing to  
7 occur without acting upon the secured portion of the package.

8 Another objective of the present invention is to provide a component to the  
9 package that may contain audit, billing, tracking and other information that may be in  
10 its own separate portion of the package, which may or may not be secured.

11 Another objective of the present invention is to provide a consistent programmatic  
12 interface to permit interaction with all portions of the package, permit viewing,  
13 launching host applications, editing of data, and security.

14 Another objective of the present invention is to provide a standard end user  
15 application to provide basic and other interaction with the package. This may include  
16 and is not limited to, security access, edit, view, extraction, processing, and delivery  
17 of contents.

18 Another objective of the present invention is to provide a delivery, storage,  
19 archive and query system to gain access to the packages via and not limited to, email,  
20 Internet, Web server, FTP, electronic media or other applications.

21 It is a further objective of the present invention to provide standard structures for  
22 use between businesses or end users, such as a template, that allows a particular package  
23 to have the same characteristics for use with in a similar purpose or industry.

1           It is a further objective of the present invention to allow workflow or other  
2 characteristics to be encapsulated within the package. This is such as and not limited to,  
3 embedded applications, or code that may be run within the package to provide workflow  
4 or other data or file manipulation, rules enforcement, and delivery options based on rules  
5 executed within the package.

6           It is a further objective of the present invention to be able to display documents,  
7 and information about the documents being displayed in a viewer.

8           It is still another objective of the present invention to allow for the manipulation  
9 of documents that are assembled in an electronic package in the application in which the  
10 documents were created.

11           It is yet another objective of the present invention to be able to sort documents  
12 based upon information contained in the documents without having to resort to OCR.

13           In accordance with the above objectives, the present invention provides a system  
14 for transmitting and delivering documents and related information in electronic form.  
15 For purposes of this application, this is referred to as an electronic package or electronic  
16 container. The present invention provides the flexibility of viewing, editing, summary  
17 analysis and other options associated with documents and the information contained  
18 therein. The present invention provides a standardized electronic "container" for  
19 delivering information such as documents, data and images via email, the Internet or on  
20 electronic media. The present invention provides a delivery method for supplying  
21 customers and business partners alike with instant information they need. Another  
22 objective of the present invention is to provide a delivery mechanism for both ad hoc  
23 support as well as large volume transactions.

1 In accordance with one embodiment, the system of the present invention is XML  
2 based, but with specific rules for creation of the electronic containers, thus allowing the  
3 containers to be disassembled for simple extraction of its contents. By using specific  
4 rules for the creation of the present invention document delivery system, applications  
5 may be developed to interact with the system, such as standard viewers. Of key  
6 importance is the fact that applications may be developed to allow automated processing  
7 of delivered documents on a large scale, such as importing the information contained  
8 within the delivery system into other systems such as data, imaging and workflow  
9 systems.

10 In accordance with another embodiment, the delivery system of the present  
11 invention holds data, documents, and images, as well as files such as Word, Access,  
12 Lotus, or even an EDI transaction. The possibilities for the contents of electronic  
13 containers of the present invention are virtually limitless. These files and other objects  
14 may include specific index information to allow them to be more readily identified to the  
15 user. Documents may be grouped and organized in a fashion that best suits the needs of  
16 the sender or recipient. Therefore, rather than, for example, having a list of 100 TIFF  
17 images displayed for which the recipient must determine the significance, the document  
18 delivery system of the present invention will allow the identification of the documents as  
19 a note, deed of trust, insurance claim or legal case file by sorting information that is  
20 represented in a barcode symbol that can be read in a machine readable fashion. This  
21 eliminates the user from having to deal with information that is not relevant, such as a  
22 TIFF image, freeing the user to deal with issues that are important, such as the terms of a  
23 note, claim or case. Further through the use of templates, documents may be organized



1 where regardless of the point in time the object is added to the package, that the object  
2 will be presented in a consistent fashion.

3 A very important aspect of the document delivery system of the present invention  
4 is that the contents remain in their original format. A Word® document remains as a  
5 Word® document, thereby allowing such documents to be used by the recipient in their  
6 native mode. An image remains an image, and an Excel® spreadsheet remains a  
7 spreadsheet.

8 In some cases, the sender may not wish the recipient to edit particular contents.  
9 Therefore, through the use of various security levels, the recipient may be limited to only  
10 viewing the contents.

11 Another significant advantage of the document delivery system of the present  
12 invention is that all components of the business transaction are kept together. Today,  
13 businesses are forced to deal with and accept information that is split into different pieces  
14 that cannot be easily kept together. For example, some information may be provided on a  
15 disk that contains a database. Other information is provided in a stack of paper and even  
16 other information provided on disk such as Word, Excel or EDI files. The document  
17 delivery system of the present invention simplifies this process significantly as all of  
18 these individual components may be contained within a single package, thereby  
19 providing ALL the information within a single container. By “gluing” all of the elements  
20 together, the components will not be split up and lost and will always be available.  
21 Therefore, for example, a single package of the document delivery system of the present  
22 invention can easily contain a complete loan file, legal case file or patient file.

1           When an electronic or “virtual” package is created in accordance with the  
2   document delivery system of the present invention, the package or container includes a  
3   unique identifier, allowing for automated processing. In addition, it may also be  
4   encrypted. If the recipient does not have the proper decryption key loaded in their  
5   receiving software or viewer, they will not be able to display or process the contents of  
6   the package. In addition, multiple levels of security are provided for each element  
7   contained in the package or container. Therefore, the recipient may be able to edit some  
8   fields, and not others. In addition, information may be prohibited from extraction. The  
9   document delivery system of the present invention includes security levels that are quite  
10   flexible.

11           One of the significant advantages of the document delivery system of the present  
12   invention is the virtual package viewer. This allows anyone who receives a package or  
13   container to easily view its contents. By using the document delivery system of the  
14   present invention, the sender no longer needs to worry about dealing with the technical or  
15   customer support issues of the information being sent. Rather, the provider of the  
16   document delivery system of the present invention will support all of the questions and  
17   issues in dealing with and interacting with the document delivery system of the present  
18   invention. The sender will still need to ensure that the correct information is in the  
19   package. However, once sent, the sender no longer no longer needs to deal with the  
20   support issues that currently force users to accept other existing technologies.

21           Other characteristics of the present invention will become apparent from a review  
22   of the detailed description of the invention that follows.

## **Brief Description of the Figures**

Figure 1 illustrates a document of a VirPack have an associated barcode.

Figure 2 illustrates the overall architecture of the present invention.

Figure 3 illustrates the XWPL barcode of the present invention.

Figure 4 illustrates the viewer of the present invention and its interaction with a virtual package of the present invention.

Figure 5 illustrates the preparation activities associated with the creation of a virtual package of the present invention.

Figure 6 illustrates the business relationship associated with Virpack management.

Figure 7 illustrates the online archive of VirPacks.

## **Detailed Description of the Invention**

As noted above, the present invention is a system and method for creation of an electronic container that comprises a plurality of documents and meta information about the documents. A graphical code is used to assist in extracting information about the documents in the electronic container.

The Invention can essentially be broken into a number of major components.

- a) XWPL – eXtensible Workflow Package Language is an eXtensible Markup Language (XML) based language. One portion of the language defines a standardized method to place information into a machine-readable symbol such as a high-density barcode. The actual symbology used is flexible. Any symbol simply needs to be able to support enough characters of information to be useful. In the event that the data content exceeds the capacity of the



1 identify the form, and location information (specific geometric information to  
2 locate a particular index field) to instruct a system such as an OCR forms  
3 processing system where to extract pertinent information. Additional  
4 information such as workflow related information might also be incorporated  
5 in the symbol, as well as other information that is not printed on the form,  
6 such as the person or system that originated the document, and other  
7 information that is not required or not desired to be printed on the document in  
8 human readable form. Lastly, XWPL symbols may be employed in any  
9 industry where documents carry index information that is useful for a  
10 downstream recipient.

- 11 b) The electronic container - The second component of the system is a  
12 standardized electronic container Virtual Package ("Virpack"), which is an  
13 electronic file that may be used to store any type of object such as an image,  
14 document, database, or any computer generated file including word  
15 processing, database, EDI or any other type of file. It may also be construed to  
16 be a stand-alone workflow envelope or container. An important feature of a  
17 VirPack is that documents stored within the VirPack are retained in the  
18 original format in which they are created. Therefore, the recipient of a  
19 VirPack can manipulate an object contained within a VirPack using the same  
20 application (such as MS-Word) that the sender used to create the object. If the  
21 user so desires, applications may however, be created to convert documents  
22 into other formats such as converting a MS-Word document into an Adobe  
23 Acrobat (PDF file) prior to the document being added to the VirPack. Further,

1 specific (unlimited) index information may be created and stored that is  
2 specifically associated with a particular object.

3 Both the index data itself and unique field level properties may be defined  
4 and identified. Therefore, not only for example is a name provided, but also  
5 the characteristics of the field in which the name resides is also identified, i.e.  
6 that the field is 32 characters long. Therefore, information such as identifying  
7 the author of the object, date, workflow or other information may be  
8 associated with the particular document.

9 The contents of a VirPack may be either unstructured or structured.  
10 Therefore, based on user requirements, the VirPack content or structure may  
11 be designed to meet specific needs. For structured a VirPack, which are more  
12 easily automated, the concept of Templates is employed. A Template can  
13 define the contents of a particular VirPack. Not only the placement of the  
14 document (hierarchy) may be specified, but index information for each object  
15 as well. Further, a VirPack can contain additional index information unique to  
16 the overall package. For example, a VirPack may be defined to list and  
17 contain particular documents for a loan, as in a mortgage application. Each  
18 document may also be placed into a subfolder to meet specific grouping  
19 needs. All of the legal documents may be placed in a Legal Subfolder, Title  
20 Policy documents in a Title Subfolder, etc. The number and construct of the  
21 hierarchy is unlimited and only constrained by the practical size of the overall  
22 VirPack. However, as technology and delivery methods improve, the overall  
23 typically acceptable size of a VirPack will grow.







1 methods to secure a VirPack to prevent it from being accessed by an  
 2 unintended party. Further this security can be implemented to a level by which  
 3 each component of a VirPack can be individually encrypted using different  
 4 methods. However, most uses find this extreme level of encryption  
 5 unnecessary.

6 Another component of VirPack is an audit or accounting module. This  
 7 portion of the VirPack could contain and is not limited to such accounting  
 8 information such as billing information, the number of objects contained  
 9 within the VirPack, individual object file size or page count information,  
 10 originating party information, recipient information or other such information  
 11 which could be used to track and account for the utilization of the VirPack.  
 12 This accounting type portion of the VirPack could or could not be separately  
 13 encrypted. However, methods could be employed to use the content  
 14 information of the other components within the VirPack to ensure that this  
 15 accounting portion of the VirPack is not removed or replaced with fraudulent  
 16 information.

17 Another feature of VirPack is to provide tracking of revisions. Each time  
 18 an index field value is modified, the preceding value may be stored to provide  
 19 a history of the index information. Further, VirPack could be configured in a  
 20 manner in which each time index information is revised, that the changing  
 21 party (or other desired index information) be identified prior to committing  
 22 the change. In some case, individual objects stored within a VirPack when  
 23 launched and manipulated and then saved as a revision, features could be

1 implemented that requires that the document be reinserted as a new object or  
2 that the modification be annotated. Typically, the original source documents  
3 are always retained within the VirPack, and any modified documents are  
4 reinserted as a new object.

5 Due to the structured nature of VirPack, any assortment of application  
6 could be designed to create, manipulate or interact with a VirPack. Lastly,  
7 VirPack may be employed in any industry where it is desirable to provide or  
8 deliver single, multiple or complex objects within a single package in  
9 conjunction index information to support information delivery, customer  
10 service, enduser delivery, automation or downstream viewing, manipulation,  
11 extraction or processing.

12 c) VirPackPrep/VirPackViewer – As XWPL provides a standard set of rules in  
13 which to create machine-readable symbols and VirPack, any number of  
14 applications may be created using these rules as a guideline. Therefore, as part  
15 of the present invention, a number of applications have been developed to  
16 provide end-user interaction for the creation, manipulation and delivery of  
17 VirPack. A component of the overall VirPack system is the VirPackViewer  
18 and VirPackPrep. The basic distinction between VirPackPrep and  
19 VirPackViewer is their capability to manipulate VirPack. Depending upon the  
20 security levels implemented within the VirPack itself, the user may in the case  
21 of VirPackViewer or VirPackPrep, be required to install a decryption  
22 component to view the VirPack. Additionally, the security levels implemented  
23 on each component within the VirPack will be enforced. In either case, if the

In the event that Java, VB Script or other such tools are employed, the user may be prompted for information regardless of whether any existing index information has been changed. As part of both applications, the user may be permitted to save the VirPack to a local or network system. In addition, email facilities are incorporated within both products to allow the VirPack (as long as the necessary email requirements are met) to be emailed to another party.

The VirPackViewer is restricted to where it prohibits the user from adding new objects such as files, images, etc. to the VirPack. However, the user may be permitted to edit data content, print, view and externally save objects.



1 as a means to scan the document in conjunction with the XWPL symbol to  
2 automatically place the document within the current or other VirPack.

3 When used in conjunction with VirPackPrep, the user may accept a  
4 multiple row data source, which may then be used to generate multiple XWPL  
5 symbols (one symbol for each document and row in the data source) for each  
6 document to be scanned. The user would then prepare the documents with the  
7 XWPL symbol in the proper sequence to permit scanning. Again using  
8 VirPackPrep, the user could then scan the documents, and the application  
9 would then, using the necessary symbol recognition tools, extract the data  
10 from the symbol, and automatically place the image of the document within  
11 the correct VirPack in the correct placement within the hierarchical tree.

12 d) Process Manager – The Process Manager is another component of the overall  
13 VirPack system. Where VirPackPrep and VirPackViewer are designed for the  
14 individual or batch manipulation of VirPack by an end-user, the Process  
15 Manager is an application designed to be integrated with Imaging, Workflow,  
16 Document Management and other data systems. In creating VirPack, the  
17 Process Manager accepts data from a data source (in batch or real time  
18 fashion), which then instructs the Process Manager to query and retrieve  
19 objects from for example, an imaging, document management or workflow  
20 system. The Process Manager then creates a VirPack for the particular result  
21 and delivers it to a previously determined location. This could be on a file  
22 system, web site location or delivery via email.



1 VirPack, a need will arise to provide the user with a means to quickly locate  
2 VirPack at a later time. As discussed in the Process Manager, as the Process  
3 Manager creates VirPack, a subset of index information could be extracted  
4 and stored in an external database. This database may be also stored on an  
5 individual CD-ROM to describe the listing of VirPack contained on the CD-  
6 ROM. Further; in a larger system this external data source could encompass  
7 the total accumulation of VirPack on a system. Regardless, VirPackCatalog  
8 could utilize the data source to allow the user to query the system to locate a  
9 particular VirPack, which would then be displayed for manipulation. In the  
10 event that an external data source is not available, VirPackCatalog could  
11 process each individual VirPack and extract the necessary index information,  
12 which would be stored in an external database, to improve the efficiency of  
13 returning the results of a query. In the case of VirPack stored on removable  
14 media such as CD-ROM, VirPackCatalog could extract information from the  
15 external data source located on the CD-ROM or again process each individual  
16 VirPack to extract the necessary index information to perform the necessary  
17 query. In a removable media implementation, the user upon the completion of  
18 a query could be prompted to insert the correct media into a drive for  
19 subsequent retrieval of the correct VirPack, or further systems could be  
20 implemented to allow for automated retrieval through the use of for example,  
21 a CD-ROM jukebox. The purpose of VirPackCatalog is to provide a user who  
22 is accumulating VirPack, a means to query a system and retrieve VirPack  
23 upon demand.

- 1 f) XWPL Based tools – Using XWPL as a guideline, various computer software  
2 applications may be created to permit interaction with machine readable  
3 symbols that contain XWPL information, in addition to VirPack. A number of  
4 these applications have already been created as illustrated above. However,  
5 the number of existing application is not intended to reflect the entire  
6 capability of XWPL and VirPack. As XWPL is a generalized programming  
7 tool, full Applications Programmer Interfaces may be developed which would  
8 permit integration into virtually any new or existing computer application.
- 9 g) VirPack Delivery System – Since VirPack is an electronic file, it may be  
10 delivered or stored in any number of fashions. As such, another component of  
11 the present invention is a number of VirPack related services that may be  
12 provided using VirPack as an information delivery vehicle. For example
- 13 a. A user or system may create VirPacks, which then need to be delivered via  
14 the Internet. A component of the present invention is a method by which  
15 VirPack are delivered via email, FTP or posting to a web site. This is an  
16 implementation as demonstrated by the VirPackCourier system.
- 17 b. A user may desire to accumulate VirPacks as a means to automate,  
18 provide improved centralized storage of electronic information, a means to  
19 eliminate paper of other reasons. The user could then delivery to an  
20 intermediate part VirPack to be accumulated and stored on removable  
21 media such as CD-ROM. At the end of a given period of time, or on a  
22 scheduled basis, this media containing VirPack could be delivered to the  
23 customer for their use. In such an environment, an application such as the



1 Process Manager could receive and process VirPack for Storage on  
2 removable or other media. This example is demonstrated by the  
3 VirPackCD system.

4 c. For those users, who require on line access of VirPack over a network or  
5 the Internet, a system could be configured to allow for the accumulation of  
6 VirPack on a system to support ad hoc or workflow related query. In this  
7 configuration, an application such as the Process Manager could be  
8 designed to receive VirPack, process them and store them on a system for  
9 such query and retrieval. Such a system is illustrated by VirPackStorage.

#### 10 Examples of XWPL and VirPack in a process

11 Following are a number of examples of the use of XWPL and VirPack  
12 technologies. This is a representative example and is not to be construed as a complete or  
13 limited to the examples below.

14 XWPL symbol as incorporated in a computer generated document at the time of  
15 print.

- 16 a) An existing computer application can be enhanced to incorporate the  
17 means to generate and include an XWPL symbol on a document at the  
18 time of print.
- 19 b) When the document is generated, any relevant index data, as well as any  
20 other specified information might be included in the symbol. This may  
21 include yet is not limited to
- 22 a. The field name

- 1                   b. The characteristics of the field such as the type (character or numeric)  
2                   and the width or precision (number of characters, or precision in the  
3                   case of a number)  
4                   c. The coordinate location of the index field as it is printed on the  
5                   document.  
6                   d. Workflow processing information  
7                   e. Mathematical information such as the quantity times the unit cost  
8                   should equal the extended cost for an item line. Further the individual  
9                   line items may be totaled.  
10                  f. Return information to process the document in the event that the  
11                  document is returned to the originator.  
12                  g. Any other type of information defined within the application  
13        c)        The XWPL symbol may then be used as an alternative means of extracting  
14                  the required information using an application in conjunction with a  
15                  symbol-reading device such as a barcode wand. Or the document may be  
16                  scanned and automatically processed by a system such as an imaging,  
17                  document management, workflow or other data system using the  
18                  information contained within the XWPL symbol. Further, the XWPL  
19                  symbol may be employed by an application such as VirPackPrep to create  
20                  a VirPack and to either deliver or store the VirPack as previously defined.  
21        XWPL symbol generated on a label or separator sheet, in the event that an  
22        application cannot be modified to include the symbol on a document at the time of  
23        print.

- 1           a)       In the event that an XWPL symbol cannot be incorporated as part of the  
2                   document at the time of print, an application could be designed to obtain  
3                   data from the source application (the application which generated the  
4                   document), or to have a user manually enter the necessary index  
5                   information.
- 6           a.     The application would then generate an XWPL symbol, which may be  
7                   printed on a label or separator sheet. This symbol may then be affixed  
8                   of associated with the document in a preparation process.
- 9           b)     The ultimate use of the XWPL symbol can also be illustrated as previously  
10                  discussed above.

11       XWPL symbol when employed on a preprinted form that does not contain  
12       specific index information.

- 13       a)       As previously described, an XWPL symbol could describe all  
14                  characteristics of index information on a form. However, in the case of a  
15                  preprinted form, the unique index information itself is missing. Even so,  
16                  an XWPL symbol may be employed to enhance the document. As the  
17                  XWPL symbol could describe the field level characteristics, it can assist  
18                  for example and OCR forms processing system as to where to locate index  
19                  information that may have been added at a later date, as well as any rules  
20                  or workflow information to further assist processing.

#### 21       VirPack Processing in a Loan application

- 22       a)       A VirPack template is created to identify all of the necessary documents  
23                  and index fields required to process a loan.

- 1           b)     A user receives a VirPack, of selects the Template to create a new  
2                 VirPack. The user then fills out the data elements required for a loan  
3                 application. Any application documents such as pay stubs, W-2, credit  
4                 information, or other required documents may be scanned or electronically  
5                 inserted. In the event that rules are in effect, the user may be prevented  
6                 from delivering an incomplete application to the bank that may be missing  
7                 a required object.
- 8           c)     The VirPack is delivered via email, FTP or other electronic method, to the  
9                 bank.
- 10          d)     The Bank automatically extracts the loan application information from the  
11                 VirPack and uploads it to their Underwriting system. The VirPack could  
12                 be uploaded to a Workflow system, or individually manipulated. An  
13                 Underwriter reviews the contents of the VirPack for the necessary required  
14                 documents. The Underwriter based on their decision, could add documents  
15                 in which the applicant must respond, or simply approve the loan.
- 16          e)     The VirPack can then be passed to a closing system, which then delivers a  
17                 copy of a VirPack to any individual party who may need to perform work  
18                 to properly complete the loan.
- 19          f)     Once the loan process is complete, a Loan Origination system could rather  
20                 than generate a paper set of closing documents, insert electronic files in  
21                 the VirPack.
- 22          g)     The VirPack then gets delivered to the loan-closing agent who may then  
23                 review the documents for accuracy, and print them.

- 1           h)       The documents are then executed, and the paper documents are scanned  
2                   back into the VirPack for delivery to the bank for Audit. The paper  
3                   documents can then travel directly to custody or be archived.
- 4           i)       Once the contents have passed audit, a copy of the loan may be forwarded  
5                   to a servicing agent who will service the loan.
- 6           j)       The service agent then extracts the data from the VirPack to upload into  
7                   their servicing system, and reviews the remainder of the VirPack for  
8                   completeness. The loan can then complete servicing.
- 9           k)       In the event that the loan is sold, a copy of the VirPack may be delivered  
10                  for processing the necessary assignment documentation.
- 11          l)       In preparation of the loan satisfying, the VirPack may be delivered to a  
12                  user who must prepare the necessary documents to meet the satisfaction  
13                  requirements. Using the data in the VirPack, the user may sort the loans in  
14                  priority in which they need to be processed, in order to ensure timely  
15                  completion of processing.
- 16          m)       IN the event that the loan is sold into the secondary market, a VirPack  
17                  may be delivered to the secondary market purchaser, who may then review  
18                  the entire contents of the VirPack for accuracy and completeness, and  
19                  extract the necessary index data for upload into their loan processing  
20                  system.
- 21          VirPack used as a customer delivery vehicle in conjunction with an imaging  
22          system.

1           a)     An end user application could be created, or a vehicle such as a Web site  
 2                   created to support query of a database containing information about for  
 3                   example a title policy. Upon receiving the expected results, in the case of  
 4                   an enduser application, the user may be presented with a create VirPack  
 5                   button. When selected the documents are retrieved from the imaging  
 6                   system, stored in a VirPack and the user is presented with a means to enter  
 7                   the requestor's email address. The VirPack is then delivered to the  
 8                   requestor.

9           b)     In the event of an application such as a Web site, the user may query the  
 10                  system and upon receiving a result, identify which items they would like  
 11                  to receive and an email address is provided. A Process Manager is  
 12                  provided the information, upon which queries the imaging system,  
 13                  retrieves the documents, creates a VirPack and delivers it to a requestor.

14           Any documents created as a part of a VirPack, using an XWPL based symbol is  
 15           essentially a smart document. This smart document comprises not only the contents of  
 16           the document itself, but also information about the document, which assists the system of  
 17           the present invention in logging, cataloging, and storing the document in a flexible way,  
 18           such that the document and its contents, as well as information about the document can  
 19           be retrieved in an automated fashion. The system of the present invention creates a  
 20           Virpack, which assists with document imaging and workflow. Further, it allows the  
 21           sharing of complex files as well as electronic data interchange. The Virpack comprises  
 22           not only a document but also a standardized "object" in the form of a graphical code that  
 23           is used to transmit data and documents throughout all steps of a business process that

1 employs the Virpack. This code carries XML data along with the documents making the  
2 data available for use by customers to extract information for use with other applications.  
3 In addition, the Virpack can also allow other information to be input by the recipient of  
4 the document, allowing the document to serve as a workflow tool.

5 It is important to note that when documents are added to a Virpack, the  
6 documents are kept in the format of the application that created the document. Thus, an  
7 Excel document in a Virpack still functions with the Excel program. Changes can be  
8 made to the document and the changed document can be put back in the Virpack for  
9 storage or movement to the recipient.

10 The Virpack contains, in electronic form, a "packing list" which notes all of the  
11 contents of the package, individual document index information which comprises  
12 information that is specific to the document or documents themselves, supplemental  
13 index information which further helps in searching and sorting information in the virtual  
14 package, and the documents or files themselves in image form which allows the actual  
15 documents to be reconstructed in hard copy should the need arise. Thus, the virtual  
16 package of the present invention allows a user to put data, documents, and images  
17 together in a single electronic package for submission of workflow management.

18 The virtual package of the present invention can comprise any type of file, and as  
19 noted above, each such file remains in its original format for subsequent manipulation  
20 and printing. However, the virtual package that contains the various files of information  
21 is distributed as a standard "container" and can be distributed via email, Internet, cd-rom,  
22 or indeed any medium that is normally used to transmit data and information.

1           The present invention also comprises a viewer that allows users to receive and  
2 view the virtual package at workstations. The viewer can easily display the underlying  
3 document, the individual document information, the packing list concerning the virtual  
4 package, and any other data that is associated with the virtual package.

5           Referring to Figure 1, an underlying document of the Virpack of the present  
6 invention is illustrated. Information about the document is contained in a barcode symbol  
7 that is created when the document is initially indexed into the system of the present  
8 invention. The barcode information **10** comprises unique information about the  
9 document. Barcode can contain unique index data for the document in question, the  
10 coordinate location of various fields that relate to the document. For example, a loan  
11 document may have an interest amount, monthly payments, address of the borrower, and  
12 other information. This information is indexed in the unique barcode, and coordinate  
13 location information concerning those fields is also stored in the barcode. Thus, a  
14 subsequent search engine can search the barcode for the appropriate information  
15 contained in the document and display that information in the viewer of the present  
16 invention.

17           Routing information concerning where the document should go at various steps  
18 within the workflow of the organization and for example, where the document should be  
19 delivered upon return, can also all be contained within the unique barcode of the present  
20 invention.

21           The barcode is imaged together with the documents so that the document can be  
22 displayed in the event that that is deemed to be useful. Thus, any document that is



1 viewed by the viewer of the present invention will comprise not only the unique barcode  
2 **10** but also the document **12** themselves.

3 The high-density barcode **10** that is used with the present invention is a product of  
4 a rule-based process, which is based upon the extensible mark up language (XML). The  
5 system of the present invention uses a rulebook, which is a variation of XML known as  
6 the extensible workflow package language (XWPL). XWPL is applied to XML to allow  
7 for the creation of the virtual package of the present invention as well as the high-density  
8 barcodes. Using the XWPL to generate the high-density barcode allows for the  
9 automated indexing of the paper documents by virtue of reading the barcode that is  
10 associated with any document. Reading the barcode will allow various categories of  
11 information to be determined and allow the document to be automatically indexed based  
12 on that information.

13 Referring to Figure 2, the overall architecture of the present invention is  
14 illustrated. As noted earlier, the VirPack prep station **50** enters information concerning  
15 documents **51**. That information is converted via the XWPL language to a barcode  
16 symbol, which is then printed on laser printer **52**. The document **51** together with the  
17 barcode is then scanned **54**. It should be noted that scanner **54** could be a fax machine or  
18 a special purpose scanner. In either case, the digital stream is then sent to VirPack  
19 processor **60** where it is turned into a VirPack.

20 Scanner **54** can send the scanned image and barcode via Internet **70** to VirPack  
21 processor **60** or via the public switch telephone network **72** to VirPack processor **60**.  
22 Either route is equivalent so long as the digital information arrives at VirPack processor  
23 **64** subsequent to processing.

1           After the VirPack is created, the VirPack processor sends the VirPack via the  
2 Internet **70** to the customer **66** for subsequent review and storage at the customer facility.  
3 Alternatively, and in one of the business models for entities using the system of the  
4 present invention, VirPacks can be stored locally at the VirPack processor **60** and a  
5 VirPack database **74**. VirPacks stored in VirPack database **74** are then available to the  
6 customer **66** or other remote user **68** authorized by the customer to have access to the  
7 VirPack information in the VirPack database **74**.

8           It should also be noted that the transmission of VirPack information over Internet  
9 **70** is not meant as a limitation. For example, customer **66** may also be connected to a  
10 public switch telephone network **72** which can then access VirPack information over any  
11 of the dataline options offered over the public switch telephone network such as ISDN,  
12 DSL, and others.

13           Referring to Figure 3, the XWPL barcode of the present invention is illustrated.  
14 This barcode allows for human readable data to be indexed into a machine-readable  
15 format. In the present invention, this barcode (Figure 3) identifies a document, and  
16 provides high level indexing information. Such indexing information can be specific to a  
17 document and can also be specific to an entire transaction in which the document is but  
18 one part. Further, the barcode also carries electronic data interchange (EDI) information.

19           When using this barcode, the need to manually re-key data that might be present  
20 on a specific document is eliminated. Further, the barcode allows documents to be  
21 associated with one another since a barcode on one document can refer to a particular  
22 transaction in which another document plays a key part. Thus, the two separate  
23 documents can be sorted and assembled together as part of the same transaction.

1           The barcode if the present invention is also used for inventory and tracking so that  
2   within any database or workflow system, at any point in time, the presence of the  
3   document can be noted and where it is in the workflow process can be determined.

4           Finally, use of the barcode in the present invention eliminates the need for  
5   subsequent scanning for optical character recognition purposes. Since information about  
6   the document is stored within the barcode, the barcode can simply be read and the need  
7   for OCR is eliminated.

8           Referring to Figure 4, the viewer of the present invention and its interaction with  
9   a virtual package of the present invention is illustrated. The viewer of the present  
10   invention allows the barcode symbol to be read and to extract that information that is  
11   present in the barcode. Thus, by reading the barcode, a complete listing of documents  
12   associated with the virtual package **40** is displayed. Further, when any particular  
13   document **42** is displayed, information about that document **44** is displayed as well. As  
14   noted earlier, supplemental information concerning the document an indeed the entire  
15   transaction to which the document relates is also stored on the barcode symbol. The  
16   supplemental index information can also be displayed **46** for the viewer.

17           Referring to Figure 5, the preparation activities associated with the creation of a  
18   virtual package of the present invention is illustrated. A document is reviewed and, at a  
19   workstation, information concerning the document is created. That information is then  
20   converted by the XWPL language for creation of a barcode symbol. Information on the  
21   workstation **50** is the sent to a printer **52**, which creates the barcode to be applied to the  
22   document. Presently, a laser printer produces the barcode, which is applied to the  
23   document. However, this is not meant as a limitation. Other types of printers will also

1 serve to create the necessary barcode symbols. The entire document, together with the  
2 barcode is then scanned **54**. The scanned image is then turned into a Virpack **56** which,  
3 as noted above, is an electronic package containing the image, data concerning the image,  
4 and other index information. That Virpack is then stored at the server of the present  
5 invention and/or is sent to a recipient for subsequent storage, viewing, and manipulation  
6 **58**.

7 Referring to Figure 6, the business relationship associated with Virpack  
8 management is illustrated. Virpack processor **60** keeps records of all Virpack  
9 transactions and stores them locally. Periodically, CDs of all Virpack transactions are  
10 generated **62**. These CDs **62** can be viewed or sent as desired by the customer **64** so that  
11 all data and documents can be reviewed either at the customer facility or at the location to  
12 which the customer desires the CDs to be sent **66**.

13 Referring to Figure 7, the online archive of Virpacks is illustrated. Processor **60**  
14 stores the various Virpack transmissions of any given customer. Multiple users **66** and  
15 **68** can then access the Virpacks that have been stored via normal communication lines or  
16 over the Internet **70**.

17 A system and method for creating virtual document packages has now been  
18 illustrated. It will be appreciated by those skilled in the arts that the networks that are  
19 presented for the transmission of Virpack information are not meant as limitations.  
20 Indeed, any wired, or wireless network would be suitable for the transmission of  
21 information concerning the documents as well as the Virpacks themselves. In the case of  
22 a wireless network, transceivers would also be an integral part of the system for the  
23 receipt and transmission of information. Further, intranets and dedicated wire pathways

1 are also suitable media over which to transmit Virpacks and information that gives rise to  
2 the Virpack.

3 The unique barcode symbol that is affixed to various documents is also not meant  
4 as a limitation. While a particular barcode symbol has been illustrated, it will also be  
5 appreciated by those skilled in the art that other types of graphical codes are also suitable  
6 for use with the present invention. The sole requirement is that they be able to store  
7 information concerning the document and other index information in the matter described  
8 herein.

1 I claim:

2

3 1. A method for the creation of an electronic container comprising  
4 Creating an electronic version of at least one object;  
5 Creating a graphical code representing information about the at least one object;  
6 Associating the graphical code with the at least one object;  
7 Assigning a common transaction identifier with the graphical code;  
8 Storing the at least one object with other objects having the same transaction  
9 identifier.

10 2. The method for the creation of an electronic container of claim 1 wherein the  
11 graphical code comprises unique index information about the at least one  
12 object.

13 3. The method for the creation of an electronic container of claim 1 wherein the  
14 graphical code comprises coordinate location relating to fields within the  
15 object.

16 4. The method for the creation of an electronic container of claim 1 wherein the  
17 graphical code comprises routing information.

18 5. The method for the creation of an electronic container of claim 1 wherein the  
19 graphical code comprises at least a one dimensional code.

20 6. The method for the creation of an electronic container of claim 1 further  
21 comprising binding the at least one object to other objects wherein the  
22 graphical code comprises.

23

- 1        7.        A system for the creation of an electronic container comprising:
- 2                At least one object containing information
- 3                A workstation for inputting data about the at least one object
- 4                A graphical code creator connected to the workstation for crating a graphical
- 5                code comprising the data;
- 6                A electronic record creator connected to the scanner for creating a composite
- 7        electronic record comprising the at least one object and the graphical code;
- 8                A container creator for associating the at least one object with other objects
- 9        and for assigning a common transaction identifier to the at least one object.
- 10       8.        The system for the creation of an electronic container of claim 7 wherein the
- 11               graphical code comprises data concerning the at least one object.
- 12       9.        The system for the creation of an electronic container 8 wherein the data
- 13               comprises unique index data concerning the at least one object
- 14       10.       The system for the creation of an electronic container 8 wherein the data
- 15               comprises coordinate location of fields within the at least one object.
- 16       11.       The system for the creation of an electronic container of claim 8 wherein the
- 17               container creator comprises instructions for viewing the at least one object, the
- 18               unique index data, and supplemental data concerning the at least one object in
- 19               a viewer.
- 20       12.       The system for the creation of an electronic container of claim 1 wherein the
- 21               container creator further comprises instructions for retrieving and
- 22               manipulating the at least one object using the same application that created the
- 23               at least one object.

1    **Abstract of the Disclosure**

2           A system and method for creation of virtual electronic containers for documents  
3    in electronic form. The system permits scanning and or electronic creation of documents  
4    together with a machine readable graphical code. The graphical code contains  
5    informational bout the documents that can be read without having to read the documents  
6    themselves. System components review the graphic code and determine contents,  
7    processing options and other workflow steps. Tolls associate with the creation of the  
8    electronic document container enforce creation rules to insure that electronic container  
9    conform to a structure that allows electronic dissemination of the container. Documents  
10   stored in the electronic container maintain he characteristics of the application that  
11   created them thereby allowing the documents to be viewed and manipulated using the  
12   application in which they were created.



# An XWPL Document

The Barcode symbol can include:

- The unique index data for the document
- The coordinate location of fields
- Non-Printable information such as what would be included in a graphical logo
- Routing information such as where the document should be delivered upon return

All of the unique data about this document, is in here

As more information is required to be stored in the symbol, higher density symbols may be used.

Typically a 2-D barcode is used to start and you can migrate to a data glif for example.

FIG 1

**STREET ADDRESS:** 9876 Blackberry Drive  
**SUITE/APT** Suite 321  
**CITY** Chicago  
**STATE:** IL  
**ZIP:** 60604

**DATE** March 8, 1999

**NOTE**


1. **FORBORN IS PROMPTLY TO PAY**  
 I am enclosing herewith a check for the full amount of my monthly payment of \$100.00. I have enclosed the check in a separate envelope to be delivered to the lender. I have also enclosed a copy of this document for the lender's records.

2. **INTEREST**  
 I have enclosed a copy of the interest statement for the month of March 1999. I have also enclosed a copy of this document for the lender's records.

3. **PAYMENT**  
 I have enclosed a copy of the payment statement for the month of March 1999. I have also enclosed a copy of this document for the lender's records.

4. **FORBORN IS PROMPTLY TO PAY**  
 I am enclosing herewith a check for the full amount of my monthly payment of \$100.00. I have enclosed the check in a separate envelope to be delivered to the lender. I have also enclosed a copy of this document for the lender's records.

5. **FORBORN IS PROMPTLY TO PAY**  
 I am enclosing herewith a check for the full amount of my monthly payment of \$100.00. I have enclosed the check in a separate envelope to be delivered to the lender. I have also enclosed a copy of this document for the lender's records.






Figure 2

# XWPL

Extensible Workflow Package Language

---

---

IWE created a common, standard, open and yet unique means of using XML to encapsulate human readable data into a machine readable format; which we call XWPL




Fig 3

Standard language to encode data via a barcode allowing documents to file or route themselves to the correct place, thus eliminating reconciliation processes

XWPL is the foundation upon which the VirPack is built

Can carry an EDI transaction providing the same benefits, while also making accommodations for paper based information such as form types, family of forms, field location information, and non-printable logos

Allows the addition of supplemental information to assist in the processing of the document which does not need to be included on other parts of the form

Flexible enough to support many different levels of information and adapt to different user requirements

Customers no longer need to match piles of paper with data contained on a disk, re-key information, or use expensive OCR technologies to extract data from the page

Data is easily extracted from XWPL barcodes with the simple swipe of a wand

High levels of security are insured through encrypted XWPL barcodes

XWPL barcodes can also be used to assist in managing document inventory

# VirPack Viewer

The FREE way to see your VirPack

The screenshot displays the VirPack Viewer interface. On the left, a sidebar shows a tree view of the document structure for 'LOAN 12345678'. The main window displays the 'Note' section of the document, which contains legal text regarding drainage, construction, and security. A 'Loan Information' window is also visible, showing details like the Master Control Number, Last Name, First Name, and Social Security Number. A 'Document Images' window is open, showing a list of images associated with the document, including a Delivery Checklist, Note, Security Instruments, Assignments, Other Legal, Title Policy, Title Commitment, MIC/FHA/VA Cert, Closing Documents, Disclosures, Application, Verif. Tax Returns, and Credit Reports.

**LOAN 12345678**

- Loan Information
- Note
  - Images (4 pages)
- Security Instruments
  - Images (6 pages)
- Assignments
  - Images (3 pages)
- Other Legal
- Title Policy
- Title Commitment
- MIC/FHA/VA
- Closing Documents
- Disclosures
- Application
- Tax Returns
- Credit Reports

**Master Control Number** 2715827  
**Last Name** Doe  
**First Name** Joe  
**Social Security Number** 123-45-6789

**Loan Information**

Document Name	Page Count	Pages
Delivery Checklist	12345678	1
Note	12345678	2
Security Instruments	12345678	2
Assignments	12345678	1
Other Legal	12345678	1
Title Policy	12345678	1
Title Commitment	12345678	1
MIC/FHA/VA Cert.	12345678	1
Closing Documents	12345678	1
HUD1	12345678	1
Disclosures	12345678	1
Application	12345678	1
Verif. Tax Returns	12345678	1
Credit Reports	12345678	1

**4. DRAINAGE, DRAINAGE DEVICES, GROUND COVER.** To preserve and maintain proper drainage and ground cover in and about the property secured hereby and on all slopes thereof and to allow Beneficiary for inspection thereof, Trustor further agrees to begin and proceed diligently within 10 days a provide proper drainage, to provide proper planting and ground cover, to clean out all drainage device drainage maintenance and failure to do so shall constitute, at the option of Beneficiary, a default hereunder.

**5. COMPLETION OF CONSTRUCTION, RESTORATION.** To complete or restore promptly and or improvement which may be constructed, damaged or destroyed thereon, and pay when due all costs or any part thereof is being obtained or should any additional loan be made hereafter for the purpose of property, Trustor further agrees: (a) To faithfully perform each and every obligation assumed under any any building loan agreement, which is executed by Trustor in connection with or as a condition precedent perform any such agreement shall constitute, at the option of Beneficiary, a default hereunder; (b) To complete within thirty (30) days from the date this Deed of Trust is made a public record as provided by law, and with plans and specifications satisfactory to Beneficiary; (c) To allow Beneficiary to inspect said property any work or materials unsatisfactory to Beneficiary within fifteen (15) calendar days after written notice is be given to the Trustor by registered or certified mail, postage prepaid addressed to Trustor and sent to it service of the same.

**6. CONDOMINIUMS, COMMUNITY APARTMENTS, ETC.:** If the security under this Deed of Trust is in connection with a project under the declaration of covenants, conditions and restrictions pertaining to such condominium Trustor agrees to enforce against other owners in such condominium project each and every obligation been performed or if valid legal steps have not been taken to enforce such performance within ninety (90) days.

**7. WASTE.** Not to commit or permit waste of said property.

**8. COMPLIANCE WITH LAWS, COVENANTS, CONDITIONS AND RESTRICTIONS, ETC.** To covenants, conditions and restrictions affecting said property, requiring any alterations or improvements.

**9. FINANCIAL STATEMENTS.** In the event that the security for this Deed of Trust is income if Beneficiary at least annually on or before January 31st of each calendar year, a written operational report, Beneficiary shall have the right to require in writing such additional reports and statements if Beneficiary makes such request, Trustor agrees to furnish same within five days from the date of such request, but are not limited to any material change in the property, in the management or in the business of the same.

**10. LEASEHOLD.** In the event that the security for the Deed of Trust is a leasehold estate, this future right, title, estate and interest of Trustor in the real property and improvements covered by said Deed of Trust shall be subject to the terms and conditions of any lease or option agreement had by Trustor at the time the real property encompassed in this Deed of Trust was acquired by Trustor, or as amended, and Trustor agrees not to amend, change or modify his leasehold interest, or any of the terms thereof, or to enter without the prior written consent of Beneficiary being had and obtained. In the event of a violation of its option, to declare all sums due and payable immediately due and payable. Consent to any amendment, or to the exercise of its option, shall not be a waiver of the right to require such consent at a subsequent time. This Deed of Trust shall be construed to mean such leasehold estate or any other present or future interest context so requires.

**11. TERMS, CONDITIONS, CARE OF PROPERTY.** To prevent and eliminate any wood destroy any building or improvement thereon and to cultivate, irrigate, fertilize, fumigate, prune and do all other property may be reasonable, proper or necessary, the specific enumerations herein not excluding the general.

**12. INSURANCE.** To provide and maintain in force at all times insurance against loss by fire and other provide policies of private mortgage insurance when required by Beneficiary. Said insurance policies and content and for such term and in such corporations as may be satisfactory to Beneficiary, and shall Beneficiary as further security for the faithful performance of these trusts. At least twenty-five (25) day Beneficiary. By executing this Deed of Trust the Trustor specifically requests the Beneficiary to obtain as available, including, but not being limited to, vendor single interest insurance coverage and pay the premium policy and receipt of payment for the premium therefor be not so delivered to said Beneficiary by the Trustor so to do, and the obtaining of any such insurance and the payment of the premium therefor by the Trustor shall constitute a default hereunder. Neither the Trustor nor Beneficiary shall be responsible for such insurance or for the cost of any insurance underwriter. Delivery of any insurance policy or policies to Beneficiary shall constitute a default hereunder. Any and all unexpired insurance shall inure to the benefit of, and pass to the purchaser of, the property held hereunder. In the event of any loss, all moneys becoming payable under any insurance policy or policies shall be paid to Beneficiary, without the necessity that Trustor or his successors in interest sign or endorse such payment, and the sole receipt of Beneficiary therefor shall constitute full acceptance to any company payment to Beneficiary. The amount collected under any insurance policy may be applied by the Beneficiary if more than one indebtedness, then in such order as to principal, interest and/or advances as the Beneficiary the entire amount, or any part thereof, may be released to Trustor or his successors in interest within any default or notice of default hereunder, or invalidate any act done pursuant purpose hereof shall include mortgage life insurance, when applicable.

**13. DEFENDING ACTIONS RE SECURITY.** To appear in and defend any action or proceeding brought to determine, declare or construe the rights or powers of Beneficiary or Trustee; and should Beneficiary or Trustee or proceeding, to pay all costs and expenses, including costs of evidence of title and attorneys' fees Trustee, or both.

VirPack Viewer allows you to view, print, and edit incoming VirPack

VirPack Viewer brings you organized data, documents, and images together in one package


Fig 4





## A Secure, Permanent On-line Archive

VirPackStorage permanently stores your VirPack in our "virtual vault" for immediate use whenever you or your business partners need them.




IWE stores your VirPack in our "Virtual Vault"

On-line access to all your VirPack

Multiple users can access your VirPack simultaneously

United States Patent & Trademark Office  
Office of Initial Patent Examination -- Scanning Division



Application deficiencies were found during scanning:

☐ Page(s) 1 of Drawings were not present  
for scanning. (Document title)

☐ Page(s) \_\_\_\_\_ of \_\_\_\_\_ were not present  
for scanning. (Document title)

*There are 7 sheets of Drawings Enclosed.*

☐ Scanned copy is best available.